

Supply and Delivery of Various Furniture, Fixtures and Office Equipment of Different Departments

SPECIFICATIONS

1. Air Cooler

- 150 watts power for over 30m² area
- 3,500m³h strong airflow
- 3 fan speed
- 3 sides cooling pad
- 33 liters water tank capacity
- With automatic swing function
- Sturdy manual controls
- Automatic shut-off water pump
- Floor stand body level
- With caster wheels
- Compact and modern design
- Dimension: (L) 49.5 x (W) 36 x (H) 90 cm

2. Air Purifier with Hepa Filter

- *HEPA: removes atleast 99.97% of airborne particles down to the size of 0.3 microns
- *3000-hour filter replacement remind function
- *Room efficiency: 35-50 sq.m.
- *Wind speed: 3 speeds + Automatic
- *Noise: 20dB (sleep mode) up to 55dB (max speed)
- *Functions: PM 2.5 Sensor, 12-hour long timer, Sleep
- *Voltage: 220V/60Hz
- *Rated Power: 45W
- *CADR: 230 m³/h
- *Working Humidity: < 85%
- *Material: ABS Plastic
- *Electric Motor: Copper
- *Machine Size: 330x220x505mm
- *Filter Size: L-14in x W-10in
- *Product Weight: 5.5 kg

3. Aircon - 3TR, 220 volts, Single Phase

220 volts, Inverter Type, Cooling Cap. 38, 500BTU,
Comp. Type: Rotary, Rated Current 15 amps.

4. Aircon - Portable/Floor-Mounted

Inverter Portable Air Conditioner with 10000 BTU Cooling Capacity, 500 sq. ft. Cooling Area, in White

Power Source	Corded Electric
Special Feature	1370 Watts
Warranty Type	Limited
Color	White
Air Flow Efficiency	243 Cubic Feet Per Minute Per Watt
Item Dimensions LxWxH	18.11 x 19.41 x 30.43 inches
Item Weight	78 Pounds
Control Method	Remote
Self Timer Duration	24 Hours

- Width: 19.41" x Height: 30.43" x Depth: 18.11"
- Cooling Capacity (BTU): 14000 - Cooling Area: 500 sq. ft.
- SmartThinQ Works with Google Assistant/Amazon Alexa
- 3 Fan Speeds - 3 in 1 Operation - Wi-Fi Connection
- DUAL Inverter Compressor - Remote Control
- Energy Efficient - Sleep Mode
- Weight: 78.00 lbs - 115 Volts

5. Aircon - Split Type, 220 volts, Single Phase

2.5 Dual Inverter Compressor, Energy Savings, Fast Cooling, 220 volts, Single Phase, 60hz

6. Aircon - Window Type, 220 volts, 1.5 hp

1.5 hp, Energy Savings, 220 volts, Single Phase, 60 hz, Fast Cooling, Inverter Type

7. Airpot (4.5 liters)

4.5 Liters
3-way dispense
Auto pump, manual pump and cup-touch
Quality bottom heating
Dry boil safety protection
Stainless steel inner pot
Detachable lid
360-degree rotary base

8. Airpot Electric

Electric Airpot Tri-Dispense
3 Liters Capacity
Power: 700 Watts, 220V
304 FOOD Grade Stainless Steel Inner Cavity
360 Rotation
Detachable LID for Easy Cleaning
Air-Pump Safety Lock
Water Gauge Level
Boil-Dry Protection

9. Ceiling Fan/Orbit Fan

18" Metal Blade
High-Performance Motor
4-Speed Remote Switch
With Thermal Fuse Protection

10. Cellular Phone with Camera - 128gb+6gb RAM

DISPLAY	Super AMOLED 90Hz 600 nits
	6.4 inches
	720 x 1600 pixels
HARDWARE	Mediatek Helio G80 (12nm)
	Octa-core (2x2.0 GHz Cortex-A75 & 6x1.8 GHz Cortex-A55)
	Mali-G52 MC2
CAMERA	48 MP(triple camera), LED flash, panorama, HDR
	1080p@30fps video
	13 MP front camera
STORAGE	128GB internal storage, eMMC 5.1
	6GB RAM
BATTERY	Li-Po 5000 mAh, non-removable
	Fast charging 15W
OPERATING SYSTEM	Android 11, One UI Core 3.1
FEATURES	Wi-Fi 802.11 a/b/g/n/ac, dual-band, Wi-Fi Direct, hotspot
	GPS with A-GPS, GLONASS, GALILEO, BDS
	USB Type C 2.0
	Bluetooth 5.0, A2DP, LE
	Fingerprint (side-mounted), accelerometer, gyro, compass
	FM radio
COLORS	Black, White, Mint, Violet

11. Coffee Maker

Name: Coffee Make

Capacity 1.5 liters

Power 1450 (W):

Voltage (V): 220

Type: **Capsule Coffee Maker**

Function:

Programmable, Brew System, Hot Water System, multi capsule machine, 19 bar pump, Nespresso , Coffee pod, Coffee Powder

Power Source: **Electric**

Product name:

Multi-Capsule Coffee Machine

Color:

Match different kinds of capsules

Water tank:

Transparent removable water tank

12.Computer Chair with Arm Rest

Leather/Black/Swivel Type/Heavy Duty

13.Conference Table (Executive) with 10 High Back Chairs with Arm Rest

Description: 16 Pax Conference Table

Specifications: Size: 5400mm (L) x 600mm (D) x 2400mm (W) x 750mm (H)

Structure: Melamine

Finish: MFC Laminated

Color: White and Brown

Top: 25mm Thick Board

Sidings: 2mm PVC Edge Band

Max Weight Capacity: 250kg

With Wire Management Box

14. Conference Table with 10 Chairs

CONFERENCE TABLE



- Melamine Board Top
- Measurements: W320 x D120 x H75 cm
- Color: Wooden

CHAIR



- Size: 40 x 53 x 93 cm (length x width x height)
- Material: Metal frame with high quality PU leather
- Color: Black
- Feature: ergonomically, non-slip

15. Digital Voice Recorder

FULL SPECIFICATIONS AND FEATURES

General Features

BATTERY TYPE (PROVIDED)
Built-In Lithium Battery

BUILT-IN MEMORY
4 GB

BUILT-IN MICROPHONE
Yes

CALENDAR SEARCH
Yes

LCD BACKLIGHT
Yes

MAXIMUM FILES PER FOLDER
199

MAXIMUM FILES (TOTAL)
5,000 files (including number of folder)

PC CONNECTIVITY
Yes

PLAYBACK FORMAT
LPCM/MP3/AAC/WMA

RECORDING FORMAT
Linear PCM/MP3

USB CONNECTION CHARGING
Yes

Recording

SCENE SELECT
Yes

SYNC RECORDING FUNCTION
Yes

RECORDING MONITOR
Yes

FM RADIO RECORDING
Yes

VOR
Yes

Playback & Edit

A-B REPEAT
Yes

DIGITAL PITCH CONTROL (SPEED CONTROL)
Yes

DIVIDE
Yes

EASY SEARCH
Yes

ERASE
Yes

FILE COPY
Yes

FOLDER NAME CHANGE (WITHOUT USING PC)
Yes

GRAPHIC EQUALIZER
Yes

MOVE FILE
Yes

NOISE CUT
Yes (Clear Voice)

PROTECT
Yes

TRACK MARK
Yes

16.Drone

Sensor	1/2.3" CMOS Effective Pixels: 12 million
Lens	FOV: about 83° (24 mm); about 48° (48 mm) 35 mm Format Equivalent: 24-48 mm Aperture: f/2.8 (24 mm)–f/3.8 (48 mm) Shooting Range: 0.5 m to ∞
ISO Range	Video: 100-3200 Photo: 100-1600 (auto) 100-3200 (manual)
Shutter Speed	Electronic Shutter: 8–1/8000s
Still Image Size	4000×3000
Still Photography Modes	Single shot Burst shooting: 3/5/7 frames Auto Exposure Bracketing (AEB): 3/5 bracketed frames at 0.7 EV Bias Interval (JPEG: 2/3/5/7/10/15/20/30/60s RAW:5/7/10/15/20/30/60s)
Video Resolution	4K: 3840×2160 24/25/30p 2.7K: 2688×1512 24/25/30/48/50/60p FHD: 1920×1080 24/25/30/48/50/60/120p
Max Video Bitrate	100Mbps
Color Mode	D-Cineline
Supported File System	FAT32 (≤ 32 GB) exFAT (> 32 GB)
Photo Format	JPEG / DNG (RAW)
Video Format	MP4 / MOV (MPEG-4 AVC/H.264, HEVC/H.265)
Gimbal	
Mechanical Range	Tilt: -135–45° Pan: -100–100°
Controllable Range	Tilt: -90–30° Pan: -75–75°

Stabilization	3-axis (tilt, roll, pan)
Max Control Speed (tilt)	120° /s
Angular Vibration Range	±0.01° (Mavic 2 Pro) ±0.005° (Mavic 2 Zoom)
Remote Controller	
Operating Frequency	2.400 - 2.483 GHz; 5.725 - 5.850 GHz
Max Transmission Distance (unobstructed, free of interference)	2.400 - 2.483 GHz; 5.725 - 5.850 GHz FCC: 10000 m CE: 6000 m SRRC: 6000 m MIC: 6000 m
Operating Temperature Range	0°C - 40°C
Transmission Power (EIRP)	2.400 - 2.483 GHz FCC: ≤26 dBm CE: ≤20 dBm SRRC: ≤20 dBm MIC: ≤20 dBm 5.725-5.850 GHz FCC: ≤26 dBm CE: ≤14 dBm SRRC: ≤26 dBm
Battery	3950 mAh
Operating Current/Voltage	1800 mA – 3.83 V
Supported Mobile Device Size	Max length: 160 mm; max thickness: 6.5–8.5 mm
Supported USB Port Types	Lightning, Micro USB (Type-B), USB-C
Intelligent Flight Battery	
Capacity	3850 mAh
Voltage	15.4 V
Max Charging Voltage	17.6 V

Battery Type	LiPo 4S
Energy	59.29 Wh
Net Weight	297 g
Charging Temperature Range	5°C to 40°C
Max Charging Power	80 W
Supported SD Cards	Micro SD™ Supports a microSD with capacity of up to 128 GB. A UHS-I Speed Grade 3 rating microSD card is required.
Recommended microSD Cards	32G Sandisk V30 Sandisk Extreme V30 Pro 64G Sandisk Extreme Pro V30 128G Sandisk Extreme V30 Sandisk Extreme Pro V30 Kingston Canvas Go! Kingston Canvas React

17.Foldable Picking Ladder

Type: A frame
Height: 6 Feet
Maximum Working Height: 122cm
Open Size: 172 x 105 x 46.8cm
Fold Size: 182.5 x 46.8 x 11.4cm
Step Height: 22cm
Top Step Size: 25 x 25cm
Maximum Load: 120kg
Packing Size: 182.5 x 37 x 11.4cm

18.Industrial Fan 26"

Painted pipe and guards
Metal stand pipe and 26 inches aluminum blades
Metal cross base
Rotary switch with 3-speed settings, 3 blade
Motor with thermal cut-off
90 degrees oscillation
230V~ 60 Hz
Dimension: 69cm x 49cm x 148cm

19.Microwave Oven

⚡ MICROWAVE OVEN WITH SMART INVERTER
(R-350E(W))34Liters with Boxsmart Inverter
Smart Humidity (automatically determines perfect
cook and reheat times)
TEXT DISPLAY1200W OUTPUT POWER23 SMART AUTO MENUS

20.Mobile Pedestal

Image and Description:



Mobile Pedestal

Details / Technical Specifications:

28"H x 15.5" W x 22" , Metal, 3 drawers with centralized lock. 2 spare keys.

21. Money Counting Machine

With MG Detection
With UV Detection
With Double-Half-Chain-Note Detection suitable for most of the Currency in the world
Automatic start/stop cleaning
With Batch/Add Functions
Low Noise with Counting Package Contents
Size: 297mm x 247mm x 167mm
Counting Speed: 1,000 notes/min
Size of Countable Notes: Minimum 110x60mm/ Maximum 190x90mm/ Thickness 0.08-0.12mm
Feed System: Roller Friction System
Hopper Capacity: Approximately 200notes
Stack Capacity: Approximately 200notes
Power Supply: AC 110/220 + 10%, 50/60hz
Usage Environment: Temperature 0°C - 35°C (operating)/-10°C - 60°C (stock)/Humidity 20%-90%.
Interface PC Terminal Interface (RS-232C)
External Display Interface (RS-232C)
Multi-function Money Counter

22. Oven Toaster

infrared Dual Heater
Stainless Steel baking Tray
Variable Temperature Control
9 Liters Capacity
60 min Timer
Cool Touch Handle
1000 watts
box dimension : L38 x W28 x H20
Weight : 2.5kg

23.Paper Shredder Machine – HD

Feed width:	390 mm
Shred capacity A4 70 gsm:	65 sheets
Shred capacity A4 80 gsm:	52 sheets
Shred size:	6 mm
Operation:	Electronics
Shred speed:	4 m/min
Waste volume:	190 liters
Motor:	1900 Watts
Voltage:	230 V
Dimensions/HxWxD:	1190 x 700 x 620 mm
Weight:	150 kg

24.Projector

LCD Projector.
3000-4000 white lumens. SXGA(1280x1024) to WUXGA(1920x1200) resolution. 220V input.
Built-in Wireless LAN with Casting Capability.
Autokeystone, with A/V Mute, focus and size adjustment.
I/O: USB TYPE-B, HDMI, VGA, RCA
With White screen and stand. USB Cable and VGA Cable

25.Scanner

Features:
Hi-Speed Duplex, A3 flatbed colour image scanner, Max 200 sheets, Automatic Duplex Scanning,
20-40 Page per minute speed.
Resolution: 50 dpi - 4,800 dpi (1 dpi increments), 7,200 dpi and 9,600 dpi
Connectivity: With USB 2.0, LAN port
Output format: JPEG, TIFF, Multi-TIFF, PDF, BMP
Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX,
XLSX, PPTX

26.Stand Fan 16"

16" Banana blade stand fan
Powerful motor protected with thermal fuse
Oscillating Motion
3 Speed rotary switch
Clip type grill lock
220V input with US Plug

27.Stand Fan 18"

- High-performance motor
- With thermal fuse protection
- 3-speed rotary switch
- Tilting head with oscillation
- With height adjustment
- 220 Volts

28.Steel Cabinet - 4 Drawer, Gauge22 Lateral

Overall Dimension: 52"H x 18-1/2"W x 22"D

Gauge #22 thick, each drawer is equipped with built-in handle and adjustable steel divider.

Provided with cam lock of duplicate keys. Provided with ball bearing slides.
Painted with plain beige enamel finish.

29.Steel Cabinet - 4 Drawer, Gauge24

Overall Dimension: 52"H x 18-1/2"W x 22"D

Gauge #24 (0.6mm) thick, each drawer is equipped with built-in handle and adjustable steel divider.

Provided with cam lock of duplicate keys. Provided with ball bearing slides.
Painted with plain beige enamel finish.

30. Steel Locker Gauge 16

WDH: 900mm x 450mm x 1850mm

Color: Light Gray

Gauge #16

Double Lock with Built-in Lock and Key and as well with Hasp Locks

31. Wall Clock – Big

- Battery Operated (Double AA)
- 14 inches diameter
- Manual adjustment of time

32. Wall Fan 16"

- High-performance motor
- With thermal fuse protection
- 3-speed rotary switch
- Tilting head with oscillation
- 220 Volts

33. Water Dispenser

- Free standing water dispenser
- Bottom loading
- Hot, normal and cold water
- Fast cooling
- Low noise
- Heating: 500W/ Cooling: 85W
- 310x3060x1035mm
- Capacity (5 liters)
- 220 Volts

34. Wireless Phone

Features:

Illuminated Display (Handset)

50-Name & Number Phonebook

Caller ID with 50-Name & Number Call Log

5 Redial Memory, Clock/Alarm, 5-Hour Talk Time

Any Key Answer, Digital Speak

Spec:

Input 220v charger US plug

With battery (Lithium-Ion)

Channels in the 35 and 43 MHz